

CATERPILLAR 2154639 SEAL O RING NEW

Product Images



## Description

### Description:

O-Rings are used in static sealing and some dynamic applications.

### Attributes:

Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines. The materials resist wear and extrusion, and provide superior resistance to seal compression set. In addition, certain Cat O-Rings are coated with PTFE to minimize seal twisting and cutting during seal installation.

Dimensions of our O-Rings are consistently held to tight tolerances to ensure they fit properly into seal grooves with the necessary seal compression.

With over 2500 O-Rings in different sizes and materials, Cat O-Rings are your best solution for your Cat and other mobile equipment O-Ring needs.

Cat Sealing systems protect more expensive parts from leaks and contamination. Protect your investment with Genuine Cat Seals.

### Applications:

O-Rings are used in many static and dynamic joints throughout Cat machines and engines.

## Additional Information

Brand	CATERPILLAR	
Condition	ORIGINAL	
Applications suitable (detailed)	Name	Models
	WHEEL-TYPE LOADER	950L 950M 950M Z 962 962L 962M 962M Z 966L 966M 972L 972M 966 972 980L 980M 982M 982XE 980 980XE 982
	WHEELED EXCAVATOR	M313C M313D M315C M315D M315D2 M316C M316D M317D2 M318F
	ENGINE - GENERATOR SET	C175-16
	PETROLEUM PRODUCTS	CX38-P800 CX38-P892
	PAVING COMPACTOR	CS10 CS11 CS12
	WHEEL-TYPE SKIDDER	525D 545D 535D 555D
	OFF-HIGHWAY TRUCK	770G 770G OEM 772G 772G OEM 773G 773G LRC 773G OEM 773GC 775G 775G LRC 775G OEM 785C 785D 785G 789D 793D 793F 793F CMD 785 793F AC 793F OEM 793F XQ 794 AC 795F AC 795F XQ 796 AC 797 797B 797F 798 798 AC

Name	Models
ENGINE - INDUSTRIAL	3516E C175-16 C175-20 G3512
WHEEL TRACTOR-SCRAPER	621K 621K OEM 623G 623K 623K LRC 627K 627K LRC 631K 637K 657
ARTICULATED DUMP TRUCK	735C 740 740 GC 740C 745 745C
TRACK-TYPE TRACTOR	D10T2 D9T
LOAD, HAUL, DUMP	R1700K
OEM SOLUTIONS	TR35