


CATERPILLAR RING BACKUP 4T5070 NEW

Product Images



## Descripción

### Description:

Backup Rings prevent seal extrusion in high pressure applications, and may be used to protect the life of overall sealing system from pressure surges.

### Attributes:

Backup Rings are designed in conjunction with the elastomeric seal and mating components, and contribute significantly to the life and performance of the sealing system in high pressure applications.

Backup ring dimensions are consistently held to tight tolerances to ensure they properly bridge the seal groove and the mating surface. Materials are selected for their pressure and abrasion resistance.

Backup rings may be solid or split. Split rings are used for ease of assembly.

Cat Sealing systems protect more expensive parts from leaks and contamination. Protect your investment with Genuine Cat Seals.

### Applications:

Backup rings are used in high pressure static and dynamic sealing applications, such as hydraulic pumps, valves and engine systems.

## Additional Information

Marca	CATERPILLAR	
Condición	ORIGINAL	
Aplicaciones adecuadas (detalladas)	Name	Models
	EARTHMOVING COMPACTOR	826G II
	MOTOR GRADER	130G 160G
	CHALLENGER	65 65B 75
	WHEEL-TYPE LOADER	916 926 926E 936 936E 936F 950B/950E 950E 950F 950G 950G II 950H 960F 962G 962G II 962H 966D 966E 966F 966G II 966F II 966G 970F 972G 972G II 980F 980F II 980G 980H G916 G926 G936
	WHEEL-TYPE SKIDDER	508
	BACKHOE LOADER	446

Name	Models
EXCAVATOR	312B 312B L 312C 312C L 312D L 315B L 315C 317B L 317B LN 318B 318B N 320B 320B L 320B N 320B S 320C 322B L 322B LN 322C 325B L 325B LN 325C 330B L 330B LN 330C 330C L 330C LN 345B II 345B L 350 L 350-A 350-A L 365B L 365B 375-A 375-A L 385B 5080 5110B 5130 5130B 5230 5230B
INTEGRATED TOOLCARRIER	IT18 IT18B IT28 IT28B
MINI HYDRAULIC EXCAVATOR	307B
TRACK-TYPE TRACTOR	56 56H 57 57H 6 6A 6S 6SU 7 7A 7S 7S LGP 7SU 8 7U 8A 8SU 8U D6H D6H II D6H XL D6H XR D6R D6R II D7H D7R D7R II D8N D9R