

CATERPILLAR SWITCH A 8C3569 NEW

Product Images



Descripción

Description: Cat components make certain that your equipment is operating at an optimal level. Cat temperature switch assemblies are designed to sense the engine temperature and eliminate the risk of injecting ether into a warm engine. Attributes: • Designed to work in unison with the rest of your Cat components to ensure maximum potential of your equipment • Brass tube and body • Olive drab wire sleeving and/or potting, epoxy filled (black) • Part No., Date code, Temp 100°F stamped on body or 25.4 hex nut • 16 AWG black wires • 1 pin 1 socket connector • Normally closed below deactuation temperature • 8-28.8 Volts • Accurate temperature sensing Application: Used in engines of Cat vehicles. Cat components can operate in heavy-duty applications such as severe vibration, shock, extreme operating temperature ranges,

thermal cycle, thermal shock, humidity, corrosion and excessive dust. Typically used in engine temperature for ether injection.

Additional Information

Marca	CATERPILLAR	
Condición	ORIGINAL	
Aplicaciones adecuadas (detalladas)	Name	Models
	MOTOR GRADER	120H NA 120H 120H ES 135H 135H NA
	WHEEL-TYPE LOADER	910E 910F 950F 950F II 960F
	PAVING COMPACTOR	CP-563 CS-563 CS-573 CS-583
	EXCAVATOR	205B 206B 211B 214B FT 212B 213B 214B 224B 320 L 320-A 320-A L 320-A N 320-A S 320N 322 L 322 LN 322-A 322-A L 322-A LN 322-A N 322N 325 L 325 LN 325-A 325-A FM L 325-A L 325-A LN 330 L 330 LN 330-A 330-A L 330-A L 330-A LN E110B E120B E200B E240B E240C EL200B EL240B EL240C
	INTEGRATED TOOLCARRIER	IT12B IT14B
	ENGINE - INDUSTRIAL	3114 3116 3126
	TRACK-TYPE LOADER	953B
	WHEEL TRACTOR-SCRAPER	613C II 631E 633E II 637E 657E
	ARTICULATED DUMP TRUCK	D20D D250D
	TELEHANDLER	RT100 RT80
	TRACK-TYPE TRACTOR	57H 8 8A 8U 8SU D8N D8R